To: Kumar, Chitra[Chitra_M_Kumar@ceq.eop.gov]; binetti, victoria[binetti.victoria@epa.gov]

From: Arguto, William

Sent: Fri 3/28/2014 11:20:27 AM

Subject: RE: WV Council of Churches (WVCC)

Chitra – Thanks for the invite – when you have a few minutes it might be good to discuss some opportunities and ways to restore confidence

From: Kumar, Chitra [mailto:Chitra_M_Kumar@ceq.eop.gov]

Sent: Thursday, March 27, 2014 4:57 PM

To: binetti, victoria Cc: Arguto, William

Subject: RE: WV Council of Churches (WVCC)

Thanks to Bill for joining. Hopefully it made them feel better. My heart goes out to those folks. If you have thoughts on anything we could/should be doing to help, and you think CEQ could help, feel free to get in touch.

From: binetti, victoria [mailto:binetti.victoria@epa.gov]

Sent: Thursday, March 27, 2014 2:36 PM

To: Kumar, Chitra **Cc:** Arguto, William

Subject: RE: WV Council of Churches (WVCC)

Thanks, Chitra. Unfortunately, I can't do the call. I have to leave early today (shucks, of all days). But I've forwarded the info on the call to Bill Arguto, and I hope he may be able to listen in.--Vicky

From: Kumar, Chitra [mailto:Chitra M Kumar@ceq.eop.gov]

Sent: Thursday, March 27, 2014 11:10 AM

To: binetti, victoria

Subject: RE: WV Council of Churches (WVCC)

Thanks for the info, Vicky. Would you like to join the meeting via phone? In case you are able, I'll share the invitation with you.

From: binetti, victoria [mailto:binetti.victoria@epa.gov]

Sent: Thursday, March 27, 2014 4:46 AM

To: Kumar, Chitra

Subject: RE: WV Council of Churches (WVCC)

Hi, Chitra. Your work at CEQ must be very exciting. I was in DC for the ASDWA-ACWA-GWPC-EPA meetings and our DW Branch Chiefs' meeting a couple of weeks ago, and I know you're missed in OGWDW.

I don't know state Personal Pivery, and have not had any personal contact with him, so I can't provide any insight, unfortunately. But certainly lots of folks have been concerned, even outraged, because of the Freedom Chemical spill that impacted the West Virginia American Water Supply. Although samples collected in the distribution system remain pretty much at the "non-detect level" (less than 10 and even less than 2 ppb), there continues to be concern over the safety of the water supply on the part of the public, and a loss of confidence. This has been exacerbated by occasional detections of the odor associated with the spilled chemical, 4-methylcyclohexane methanol (MCHM). It has a very, very low odor threshold—much lower than the analytical detection limit. In reaction to the spill, the legislature has developed new requirements for owners/operators of above-ground storage tanks, and for source water protection plans for water suppliers (with exceptions and exemptions, of course), but the governor hasn't yet signed the bill.

I'll check with a few folks, and if I learn anything, I'll forward. (If you don't hear from me, I won't have any info to offer.) Please share what you hear, if you think it would be helpful to us here in the Region.--Vicky

From: Kumar, Chitra [mailto:Chitra M Kumar@ceq.eop.gov] Sent: Wednesday, March 26, 2014 6:05 PM To: binetti, victoria Subject: WV Council of Churches (WVCC)
Hi Vicky,
Hope things are going well in R3.
You may have heard that I'm over at CEQ for the year. Well, the WV Council of Churches (WVCC) Director [Ex. 6 - Personal Privacy] is coming in to speak with us tomorrow afternoon. He apparently has been active on the chemical spill issue. I was wondering if you have any intel on what he might ask us about. No need to do anything more than share what you already know, if anything.
Many thanks,
Chitra Kumar
Deputy Associate Director for Water
White House Council on Environmental Quality
202-456-3363